

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

Work Order ID 164914

Wednesday, August 09, 2017 2:41:42 PM

164914

Page 2

Item ID: D2891-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Support 2.25
Start Date: 9/27/2017 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 10/11/2017 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* HandFXtube Hand Finishing Crosstubes	Memo Per note 8 on page 1 of dwg D2891, Prep inner concave surface of support and apply 3M Scotch-Weld as per dwg. 24H of cure time.	0.00 1.30				<u>10</u>			DAS 41 9-89 SEP 26 2017
140 *140* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.10				<u>10</u>			DAS 38 9-89 SEP 27 2017
170 *170* Packaging Packaging	Identify as per dwg & Stock Location: <u>LG052</u> Memo LOCATION : LG052	0.00 0.10				<u>10</u>			DAS 6 9-89 SEP 27 2017 <i>gal</i>

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : _____					

Work Order ID 164914

Wednesday, August 09, 2017 2:41:42 PM

164914

Page 3

Item ID: D2891-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Support 2.25
Start Date: 9/27/2017 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 10/11/2017 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	QC21- Final Inspection - Work Order Release	0.00							
180									
QC	Memo	1.00							
Quality Control									

DAS
21
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Wednesday, August 09, 2017 2:41:41 PM

Work Order ID: 164914

164914

Parent Item: D2891-1

D2891-1

Parent Item Name: Support 2.25

Start Date: 9/27/2017

Required Date: 10/11/2017

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP C02.11.26Added P/OKJ
IPP D 08.03.19 Re-format EC verified: DD IPP Rev:E
11.08.04 as per dwg rev.B DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
DSK076		Manufactured	No			110	Each	9.0000	0.5	5			
DSK076									**				

D2891-1 Turning Detail

Location	Loc Qty	Loc Code
MAT060	9	
161599	3	
164514	6	

3 SBL 17/09/18
2 SBL 17/09/18

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
				Completed By					
				Lead hand / Supervisor Approval Verification					
				QC / QA Coordinator Approval					

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : _____			
Misidentified ☐		Past Due ☐					

DART AEROSPACE LTD		Work Order:	164914
Description: Ø2.250 Support		Part Number:	D2891-1
Inspection Dwg: D2891	Rev: B	Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	5
HAAS Section								
AA	0.188	0.193		.191	.191	.189	.189	.189
AB	0.240	0.260		.250	.250	.247	.247	.247
AC	0.115	0.150		.125	.125	.127	.127	.127
AD	0.040	0.060		.053	.053	.052	.052	.051
AE	0.010	0.020		.015	.015	.015	.015	.015
AF	0.240	0.260		.250	.250	.250	.250	.250
AG	0.290	0.310		.300	.300	.300	.300	.300
AH	0.115	0.150		.136	.136	.141	.141	.141
AI	0.454	0.474		.459	.460	.463	.463	.463
AJ	2.779	2.789		2.783	2.783	2.784	2.784	2.784
AK	0.240	0.260		.250	.250	.250	.250	.250
AL	1.002	1.042		1.038	1.039	1.039	1.042	1.042
AM	0.053	0.073		.063	.063	.063	.063	.063
AN	0.257	0.262		.257	.257	.257	.257	.257
AO	1.663	1.683		1.673	1.673	1.676	1.675	1.675
AP	0.053	0.073		.063	.063	.063	.063	.063
AQ	0.022	0.042		.032	.032	.032	.032	.032
AR								
AS								
AT								
Accept/Reject				\	\	\	\	\

Measured by: SBI / FR 17/09/18	Date: 17/09/18
Audited by: DAS 49	Date: 17/09/21
Preliminary Approval: 9-89	Date:

Rev	Date	Change	Revised by	Approved
A	02.12.12	New Issue	KJ/RF	
B	08.04.21	Reformat	KJ/JLM	
C	12.09.26	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order:	164914
Description: Ø2.250 Support		Part Number:	D2891-1
Inspection Dwg: D2891	Rev: B	Page 1 of 1	


FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	5
HAAS Section								
AA	0.188	0.193		.189	.189	.189	.189	.189
AB	0.240	0.260		.250	.248	.248	.247	.248
AC	0.115	0.150		.127	.128	.128	.128	.128
AD	0.040	0.060		.050	.050	.050	.050	.050
AE	0.010	0.020		.015	.015	.015	.015	.015
AF	0.240	0.260		.250	.250	.250	.250	.250
AG	0.290	0.310		.300	.300	.300	.300	.300
AH	0.115	0.150		.141	.142	.141	.141	.141
AI	0.454	0.474		.464	.464	.464	.461	.460
AJ	2.779	2.789		2.784	2.784	2.784	2.784	2.784
AK	0.240	0.260		.250	.250	.250	.250	.250
AL	1.002	1.042		1.042	1.040	1.042	1.038	1.040
AM	0.053	0.073		.063	.063	.063	.063	.063
AN	0.257	0.262		.257	.257	.257	.257	.257
AO	1.663	1.683		1.675	1.675	1.673	1.675	1.675
AP	0.053	0.073		.063	.063	.063	.063	.063
AQ	0.022	0.042		.032	.032	.032	.032	.032
AR								
AS								
AT								
Accept/Reject				✓	✓	✓	✓	✓

Measured by:	DAS 44 9-89	Date:	17-09-19
Audited by:	DAS 49 9-89	Date:	17/09/21
Preliminary Approval:		Date:	

Rev	Date	Change	Revised by	Approved
A	02.12.12	New Issue	KJ/RF	
B	08.04.21	Reformat	KJ/JLM	
C	12.09.26	Dwg Rev updated	KJ	

ABRADE SURFACE WITH 400-GRIT SANDPAPER. REMOVE RESIDUE WITH MEK (OR EQUIVALENT). APPLY 0.03" TO 0.05" THICK LAYER OF 3M SCOTCH-WELD 2216 B/A ADHESIVE TO MATING SURFACE OF SUPPORT. ALLOW TO CURE FOR 24 HOURS.



RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 164914 MC5
1708-09

RELEASED
2011-07-28

NO. 164914 MC
1708-09

RELEASE
2011-07-28

B	RMV/ FINISH, ADD 3M Z216, ADD H925 MAT'L OPTION, UPDATE TOLERANCE (ZN D4-1,84-1,86-1)	CP	11.07.15
A	NEW ISSUE	CP	00.11.17
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD HAWKESSBURY, ONTARIO, CANADA DRAWING NO. D2891 TITLE Ø2.250 SUPPORT DATE 11.07.15	
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.		SHEET 1 OF 1 SCALE NT	
DATE 11.07.15		COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PROVIDED IN CONFIDENCE, AND IS RETURNED TO THE APPLICABLE CUSTOMER THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIES OR DISSEMINATED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD	